

## Environmental Protection Agency

## § 35.927-5

### § 35.927-3 Rehabilitation.

(a) Subject to State concurrence, the Regional Administrator may authorize the grantee to perform minor rehabilitation concurrently with the sewer system evaluation survey in any step under a grant if sufficient funding can be made available and there is no adverse environmental impact. However, minor rehabilitation work in excess of \$10,000 which is not accomplished with force account labor (see § 35.936-14(a)(2)), must be procured through formal advertising in compliance with the applicable requirements of §§ 35.938 *et seq.* and 35.939, the statutory requirements referenced in §§ 30.415 through 30.415-4 of this subchapter, and other applicable provisions of part 30.

(b) Grant assistance for a step 3 project segment consisting of major rehabilitation work may be awarded concurrently with step 2 work for the design of the new treatment works.

(c) The scope of each treatment works project defined within the facilities plan as being required for implementation of the plan, and for which Federal assistance will be requested, shall define (1) any necessary new treatment works construction and (2) any rehabilitation work (including replacement) determined by the sewer system evaluation to be necessary for the elimination of excessive infiltration/inflow. However, rehabilitation which should be a part of the applicant's normal operation and maintenance responsibilities shall not be included within the scope of a step 3 treatment works project.

(d) Only rehabilitation of the grantee's sewage collection system is eligible for grant assistance. However, the grantee's costs of rehabilitation beyond "Y" fittings (see definition of "sewage collection system" in § 35.905) may be treated on an incremental cost basis.

### § 35.927-4 Sewer use ordinance.

Each applicant for grant assistance for a step 2 or step 3 project shall demonstrate to the satisfaction of the Regional Administrator that a sewer use ordinance or other legally binding requirement will be enacted and enforced in each jurisdiction served by the treatment works project before the

completion of construction. The ordinance shall prohibit any new connections from inflow sources into the sanitary sewer portions of the sewer system and shall insure that new sewers and connections to the sewer system are properly designed and constructed.

### § 35.927-5 Project procedures.

(a) *State certification.* The State agency may (but need not) certify that excessive infiltration/inflow does or does not exist. The Regional Administrator will determine that excessive infiltration/inflow does not exist on the basis of State certification, if he finds that the State had adequately established the basis for its certification through submission of only the minimum information necessary to enable a judgment to be made. Such information could include a preliminary review by the applicant or State, for example, of such parameters as per capita design flow, ratio of flow to design flow, flow records or flow estimates, bypasses or overflows, or summary analysis of hydrological, geographical, and geological conditions, but this review would not usually be equivalent to a complete infiltration/inflow analysis. State certification must be on a project-by-project basis. If, on the basis of State certification, the Regional Administrator determines that the treatment works is or may be subject to excessive infiltration/inflow, no step 2 or step 3 grant assistance may be awarded except as paragraph (c) of this section provides.

(b) *Pre-award sewer system evaluation.* Generally, except as otherwise provided in paragraph (c) of this section, an adequate sewer system evaluation, consisting of a sewer system analysis and, if required, an evaluation survey, is an essential element of step 1 facilities planning. It is a prerequisite to the award of step 2 or 3 grant assistance. If the Regional Administrator determines through State Certification or an infiltration/inflow analysis that excessive infiltration/inflow does not exist, step 2 or 3 grant assistance may be awarded. If on the basis of State certification or the infiltration/inflow analysis, the Regional Administrator determines that possible excessive infiltration/inflow